EVOline®

ePlace Design


EVOline® Square80



NEW

schulte elektrotechnik

invented and made by
Schulte Elektrotechnik,
Lüdenscheid, Germany.



quick mount

Slider with added value


Cable apertures in desks are standard. This standard opening in the work surface can offer you more than just a hole with cover. EVOline Square provides a socket, a USB-Charger and a data connection inside the 80 mm diameter. Even in closed position EVOline Square80 gives you a smart offer: The sliding cover in its QI-Version provides an inductive technology (standard WPC 1.1) for wireless charging of suitable mobiles.

Description	Image	Specification	Order No.
EVOline Square80 Installation for surface thickness of up to 50 mm Installation cutout diameter: 80 mm Configuration: 1 power outlet, VDE compliant, 16 A, touch-protected 1 USB type A charger – ideal for charging of all USB-chargeable devices, i.e. iPhones, iPads, iPods, Tablets, Smart phones, MP3 Players. 3 m fixed supply cable with Schuko angled plug For complete cable management solution, we recommend EVOline WireLane and EVOline Bridge to cover exposes cables. Available to order separately. International versions available upon request. The USB charging function cannot be guaranteed due to the multitude of manufacturers and devices on the market.		**Without Qi charging function** Black cover and black housing With CAT 6 socket, 3,0 m Cable and plug	1592 7000 0100
		With 3,0 m pull-out CAT 6 patch cable male to male	1592 7000 0200
		Without data	1592 7000 0300
		White cover and white housing With CAT 6 socket, 3,0 m Cable and plug	1592 7000 1900
		With 3,0 m pull-out CAT 6 patch cable male to male	1592 7000 2000
		Without data	1592 7000 2100
		Stainless steel effect cover and black housing With CAT 6 socket, 3,0 m Cable and plug	1592 7000 3100
		With 3,0 m pull-out CAT 6 patch cable male to male	1592 7000 3200
		Without data	1592 7000 3300
		With Qi charging function Black cover and black housing With CAT 6 socket, 3,0 m Cable and plug	1592 7000 0400
		With 3,0 m pull-out CAT 6 patch cable male to male	1592 7000 0500
		Without data	1592 7000 0600
		White cover and white housing With CAT 6 socket, 3,0 m Cable and plug	1592 7000 1900
		With 3,0 m pull-out CAT 6 patch cable male to male	1592 7000 2200
		Without data	1592 7000 2300
		Stainless steel effect cover and black housing With CAT 6 socket, 3,0 m Cable and plug	1592 7000 3400
		With 3,0 m pull-out CAT 6 patch cable male to male	1592 7000 3500
		Without data	1592 7000 3600


* For all Qi-compliant mobile phones with WPC standard 1.1



international sockets



fits into a 80 mm hole





with USB Charger



mobile charging

Dimensions







EVOline®
ePlace Design

Schulte Elektrotechnik GmbH & Co KG

Postfach 27 08 / 27 32
58477 Lüdenscheid
Germany

Jüngerstraße 21
58515 Lüdenscheid
Germany

Phone +49 23 51 / 94 81 - 0
Fax +49 23 51 / 4 26 58
e-mail info@schulte.com
Internet www.evoline.com

WM 60 4010 2100 1414 a